

### **Premier Series Materials**

#### **OUR COMPLETE PACKAGES INCLUDE** MORE QUALITY MATERIALS AND MORE **PRE-CUTTING**

#### **FLOOR SYSTEM**

- **1.** Sills: #1 Pressure Treated Southern Yellow Pine.
- 2. Floor joists: #2 Grade KD S-P-F (Kiln Dried Spruce-Pine-Fir) with metal bridging and joist hangers.
- **3.** Subfloor: 3/4" T&G (Tongue-and-Groove) AdvanTech®.
- 4. Porch and deck floor joists, sills & headers: #1 Grade Pressure Treated Southern Yellow Pine.
- 5. Porch and deck flooring: 2 x RW x RL Premium Northern White Cedar.
- 6. Ice and water shield for porches and decks.

#### WALLS AND GABLES

- 7. Northern White Cedar 6x6 pre-cut & numbered Premium Grade wall and gable logs..
  - All necessary foam gaskets, backer rods, \* Perma-Chink Energy Seal® sealant and 9" log screws. Available options include 6x8 log profile and 6x6 clapboard log.
- 8. Pre-cut window and exterior door rough buck frames.
- 9. Milled Northern White Cedar log siding and log outover corners necessary for floor framing, dormers, porch and deck skirting.
- **10.** Interior wall and support posts with hardware, Round. D4S (Dressed 4 Sides) posts are available as an option.

#### **ROOF SYSTEM**

- **11.** Pre-cut purlins for roof, square available as option.
- 12. Purlin supports: Round, D4S (Dressed 4 Sides) are available as an option.
  - Log trusses with hardware per plan. \* Timber trusses are available as an option. Trusses are not pre-cut.
- 13. 1st roof boards: 3/4" T&G Eastern White Pine.
- 14. 2x3 roof strapping, 24" O.C. (On Center).
- 15. Roof sheathing: 5/8" AdvanTech®.
- **16.** Architectural shingles with Synthetic Roof Underlayment
- **17.** Roof blocking as required per plan.
- **18.** 1x10 Western Red Cedar eave trim with brown galvanized drip edge.

- **19.** Porch roof framing: 2x #2 Grade Kiln Dried S-P-F.
- **20.** Porch ceiling: 3/4" T&G Eastern White Pine. Northern White Cedar available as option.

#### TRUSS ROOF SYSTEM

- $\checkmark$ Includes engineered pre-fabricated roof trusses, 5/8" AdvanTech® roof sheathing and 3/4" T&G Eastern White Pine ceiling sheathing and soffit trim.
- Truss roof gables include framing, 1/2" AdvanTech®  $\checkmark$ sheathing and log siding.

#### WINDOWS AND DOORS

- 21. Andersen® 400 Series windows with screens. (white, sandtone, forest green, terratone, black, dark bronze, and canvas colors available).
- 22. Exterior doors: Pre-hung Therma-Tru® Classic-Craft® fiberglass. Includes Schlage® locksets.
- 23. Solid Pine interior doors: pre-hung 6-panel including Schlage® locksets and necessary hardware for closet doors.
- **24.** Interior and exterior trim, profiled pattern made of Northern White Cedar for all windows and doors.

#### LOFT FRAMING, CEILINGS AND INTERIOR PARTITIONS

- 25. Graded 4x8 or 6x8 Eastern Spruce beam ceiling joists. Hangers as required per plan.
- **26.** Graded 6x8 Eastern Spruce tie beams.
- **27.** 2 x RW x RL graded T&G v-match loft flooring.
- 28. Partition Framing: KD S-P-F 2x4 or 2x6 shoe, double plate, studs, blocking, headers and fillers as necessary.
- **29.** Partition paneling: 3/4" T&G Eastern White Pine. Northern White Cedar available as an option.

#### MISCELLANEOUS MATERIALS SUPPLIED PER PLAN

- **30.** Loft stairs, open, D3S, treads and stringers are Eastern Spruce. Pre-cut treads are 3 x 11 x 36, stringers are 3x10, D3S.
  - \* Basement stairs are 2x12 KD S-P-F treads and stringers.
- **31.** Loft, stair, porch and deck railing: Cedar, D4S, 2x4 rail, 2x3 balusters, and 4x4 posts.
- **32.** Porch posts: round Northern White Cedar.

### **Standard Package Materials**

### FLOOR SYSTEM

- Sills: #1 Grade Pressure Treated Southern Yellow Pine.
- $\checkmark$ Floor framing: #2 Grade KD S-P-F (Kiln Dried Spruce-Pine-Fir) with metal bridging and joist hangers.
- $\checkmark$ Subfloor: 3/4" T&G (Tongue-and Groove) AdvanTech®.
- $\checkmark$ Porch and deck floor joists, sills & headers: #1 Grade Pressure Treated Southern Yellow Pine.
- $\checkmark$ Porch and deck flooring: 2 x RW x RL Standard Grade Northern White Cedar.
- $\checkmark$ Ice and water shield for porches and decks.

#### WALLS AND GABLES

- Northern White Cedar 6x6 pre-cut and numbered  $\checkmark$ Standard Grade wall logs. All necessary gaskets, backer rod, caulking and log screws included.
- $\checkmark$ Pre-cut window and exterior door rough buck frames
- $\checkmark$ Log siding and outover corners necessary for floor framing, porch, and deck skirting. \*Dormers have corner boards.
- $\checkmark$ Interior wall and support posts with hardware. Round. D4S (Dressed 4 sides) posts are available as an option.
- Gable framing with 1/2" O.S.B. Sheathing  $\checkmark$

#### **ROOF SYSTEM**

- 2x Conventional Rafters, sized per snow load and span per plan.
- $\checkmark$ Engineered pre-fabricated roof trusses for single story.
- ✓ Roof sheathing: 5/8" T&G O.S.B.
- $\checkmark$ Architectural shingles with Synthetic Roof Underlayment
- $\checkmark$ 1x10 Pine eave trim and T&G pine soffits.
- Porch roof framing: 2x #2 Grade Kiln Dried S-P-F.  $\checkmark$
- $\checkmark$ Porch ceiling: 3/4" T&G Eastern White Pine. Cedar available as option.

#### Standard package materials continued on next page.

### Standard Package Materials Continued...

#### WINDOWS AND DOORS

- ✓ Anderson<sup>®</sup> 200 Series windows with screens (white and sandtone colors).
- ✓ Exterior doors: Pre-hung Therma-Tru® Smooth-Star® Fiberglass door. Includes Schlage® locksets.
- ✓ Pine interior doors: pre-hung 6-panel including Schlage<sup>®</sup> locksets and necessary hardware for closet doors.
- ✓ Interior and exterior trim, profiled pattern made of Northern White Cedar for all windows and doors.

# LOFT FRAMING, CEILINGS AND INTERIOR PARTITIONS

✓ All materials as included in Premier Series.

#### MISCELLANEOUS MATERIALS SUPPLIED PER PLAN

✓ All materials as included in Premier Series.

### **Cedar Valley Series and Garage Materials**

#### FLOOR SYSTEM

- ✓ Sills: #1 Grade Pressure Treated Southern Yellow Pine.
  ✓ Floor framing: #2 Grade KD S-P-F (Kiln Dried Spruce-
- Prior Haming: #2 Grade KD S-F-F (Kim Dried Spruce-Pine- Fir) with metal bridging and joist hangers.
   Subfloor: 3/4" T&G (Congue-and Groove) AdvanTech@
- ✓ Subfloor: 3/4" T&G (Tongue-and Groove) AdvanTech®.
- Porch and deck floor joists, sills & headers:
  #1 Grade Pressure Treated Southern Yellow Pine.
- ✓ Porch and deck flooring: 2 x RW x RL Standard Grade Northern White Cedar.
- $\checkmark$  Ice and water shield for porches and decks.

#### WALLS AND GABLES

- ✓ Northern White Cedar 6x6 pre-cut Standard Grade wall logs. Labeled and milled to our Comfort System-5 specifications. All necessary foam gaskets, backer rods, Perma-Chink Energy Seal<sup>®</sup> sealant and 9" log screws. Available options include 6x8 log profile and handpeeled profile.
- ✓ Pre-cut window and exterior door rough buck frames.
- ✓ Milled Northern White Cedar log siding and log outover corners necessary for floor framing, dormers, porch and deck skirting.
- ✓ Interior wall and support posts with hardware, Round. D4S (Dressed 4 Sides) posts are available as an option.

#### **TRUSS ROOF SYSTEM**

- ✓ Includes engineered pre-fabricated roof trusses, 5/8" T&G O.S.B. roof sheathing, 3/4" T&G Eastern White Pine ceiling sheathing and soffit trim, 1x10 Pine eave trim and brown galvanized drip edge.
- ✓ Truss roof gables include framing, 1/2" O.S.B. sheathing and log siding.
- ✓ Architectural Shingles with Synthetic Roof Underlayment
- ✓ Porch roof framing: 2x #2 Grade Kiln Dried Spruce-Pine-Fir.
- ✓ Porch ceiling: 3/4" T&G Eastern White Pine. Northern White Cedar available as an option.

#### WINDOWS AND DOORS

- ✓ Andersen<sup>®</sup> 200 Series windows with screens. Colors: White or Sandtone
- ✓ Exterior doors: Therma-Tru<sup>®</sup> Smooth-Star<sup>®</sup> fiberglass. Includes Schlage<sup>®</sup> locksets.
- ✓ Solid pine interior doors: pre-hung 6-panel including Schlage<sup>®</sup> locksets and necessary hardware for closet doors
- ✓ Interior and exterior trim, premium profiled pattern made of Northern White Cedar for all windows and doors.

## LOFT FRAMING, CEILINGS AND INTERIOR PARTITIONS

- $\checkmark$  2x #2 Grade KD S-P-F loft framing for purlin roof garages.
- ✓ Joist hangers as required per plan.
- ✓ 3/4" T&G AdvanTech® flooring.
- ✓ Partition framing: KD S-P-F 2x4 or 2x6 shoe, double plate, studs, blocking, headers and fillers as necessary.
- ✓ Partition Paneling: 3/4" T&G Eastern White Pine. Northern White Cedar available as an option.

# MISCELLANEOUS MATERIALS SUPPLIED PER PLAN

- ✓ Loft stairs: closed with hard pine treads and 2x12 KD S-P-F stringers. Handrail by others.
- ✓ Basement stairs: 2x12 KD S-P-F treads and stringers.
- ✓ Loft, stair, porch and deck railing: Cedar, D4S, 2x4 rails, 2x3 balusters, and 4x4 posts.
- ✓ Porch posts: round Northern White Cedar.

#### GARAGES ONLY: PURLIN ROOF SYSTEM

- ✓ Premium Grade Eastern Spruce purlin roof system. Pre-cut round logs per plan.
- ✓ Purlin supports: Round Eastern Spruce.
  D4S Eastern Spruce is available as an option.
- ✓ 1<sup>st</sup> roof boards: 3/4" T&G Eastern White Pine.
- ✓ Architectural Shingles with Synthetic Roof Underlayment
- ✓ Roof blocking as required per plan.
- ✓ 1x10 Western Red Cedar eave trim with brown galvanized drip edge.

### **Camp Series Materials**

#### FLOOR SYSTEM

- ✓ Sills:: #1 Grade Pressure Treated Southern Yellow Pine
- ✓ Floor framing: #2 Grade KD S-P-F (Kiln Dried Spruce-Pine- Fir) with joist hangers.
- ✓ Subfloor: 5/8" T&G OSB (Oriented Strand Board)
- ✓ Porch and deck floor joists, sills & headers: #1 Grade Pressure Treated Southern Yellow Pine
- ✓ Porch and deck flooring: 2 x RW x RL Standard Grade Northern White cedar

#### WALLS AND GABLES

- ✓ Northern White Cedar 6x6 pre-cut Camp Grade wall logs. Labeled and milled to our Comfort System-5 specifications. Full log gables (Roof pitch to be field cut). All necessary foam gaskets, backer rods, Perma-Chink Energy Seal<sup>®</sup> sealant and 9" log screws. Available options include pole barn spikes and 6x8 log profile when available.
- ✓ Pre-cut window and exterior door rough buck frames
- ✓ Milled Northern White Cedar log siding and log outover corners necessary for floor framing and porch skirting.
- ✓ Interior wall and support posts with hardware, D4S (Dressed 4 Sides). Round posts are available as an option.

#### **RAFTER ROOF SYSTEM**

- ✓ Engineered lumber ridge beams.
- ✓ 2x #2 Grade KD S-P-F roof rafters.
- ✓ 5/8" T&G OSB roof sheathing.
- ✓ Architectural Shingles with Synthetic Roof Underlayment
- $\checkmark$  1x10 Pine eave trim and brown galvanized drip edge.
- ✓ Porch roof framing: 2x #2 Grade Kiln Dried Spruce-Pine-Fir.
- ✓ Porch posts: round Northern White Cedar.

#### WINDOWS AND DOORS

- ✓ Andersen<sup>®</sup> 200 Series windows with screens. Colors: White or Sandtone.
- ✓ Exterior doors: Therma-Tru® Smooth-Star® fiberglass. Includes Schlage® locksets.
- ✓ Interior and exterior trim, premium profiled pattern made of Northern White Cedar for all windows and doors.

#### LOFT FRAMING AND CEILINGS

- ✓ 2x #2 Grade KD S-P-F framing.
- ✓ Joist hangers as required per plan.
- ✓ 5/8" T&G OSB (Oriented Strand Board) flooring.

# OPTIONAL MATERIALS SUPPLIED PER PLAN

- ✓ Partition framing: KD S-P-F 2x4 shoe, double plate, studs, blocking, headers and fillers as necessary.
- ✓ Partition, ceiling and roof sheathing: 3/4" T&G Standard Grade Northern White Cedar.
- ✓ Hollow core Lauan doors, pre-hung, including Schlage<sup>®</sup> locksets and necessary hardware for closet doors. Premium profiled pattern door trim made of Northern White Cedar.

### Hybrid & Timber Homes Materials Package

#### FLOOR SYSTEM

- ✓ Sills: #1 Pressure Treated Southern Yellow Pine.
- ✓ Floor joists: #2 Grade KD S-P-F (Kiln Dried Spruce-Pine-Fir) with metal bridging and joist hangers.
- ✓ Subfloor: 3/4" T&G (Tongue-and-Groove) AdvanTech<sup>®</sup>.
- ✓ Porch and deck floor joists, sills & headers: #1 Grade Pressure Treated Southern Yellow Pine.
- ✓ Porch and deck flooring: 2 x RW x RL Premium Northern White Cedar.
- $\checkmark$  Ice and water shield for porches and decks.

#### WALLS AND GABLES

- ✓ 2x6 Framing (Sip panels available as an option)
- ✓ R-21 Fiberglass insulation or R-23 Roxul<sup>®</sup>
- ✓ 1/2" AdvanTech<sup>®</sup> sheathing (Zips and R-Sheathing<sup>®</sup> available as an option)
- ✓ Log siding, stone, board&batten or shakes
- ✓ T&G Cedar or Pine for inside of exterior wall
- ✓ Timbers as option (Non-structural)

#### **ROOF SYSTEM**

- ✓ Pre-cut purlins for roof, square available as option.
- ✓ Purlin supports: Round, D4S (Dressed 4 Sides) are available as an option.

\*Log trusses with hardware per plan.

- \*Timber trusses are available as an option. Trusses are not pre-cut.
- ✓ 1<sup>st</sup> roof boards: 3/4" T&G Eastern White Pine.
- ✓ 2x3 roof strapping, 24" O.C. (On Center).
- ✓ Roof sheathing: 5/8" AdvanTech<sup>®</sup>.
- ✓ Architectural shingles with Synthetic Roof Underlayment.
- ✓ Roof blocking as required per plan.
- ✓ 1x10 Western Red Cedar eave trim with brown galvanized drip edge.
- ✓ Porch roof framing: 2x #2 Grade Kiln Dried S-P-F
- ✓ Porch ceiling: 3/4" T&G Eastern White Pine.

\*\*\*2x Conventional Rafter Roofs and Engineered prefabricated roof trusses available as option\*\*\*

#### WINDOWS AND DOORS

- ✓ Anderson<sup>®</sup> 400 Series windows with screens (white, sandtone, forest green, terratone, black, dark bronze, and canvas colors available).
- ✓ Exterior doors: Pre-hung Therma-Tru® Classic-Craft® Fiberglass door. Includes Schlage® locksets.
- ✓ Solid Pine interior doors: pre-hung 6-panel including

 ${\tt Schlage} ( {\tt B} )$  locksets and necessary hardware for closet doors.

✓ Interior and exterior trim, profiled pattern made of Northern White Cedar for all windows and doors.

# LOFT FRAMING, CEILINGS AND INTERIOR PARTITIONS

- ✓ Graded 4x8 or 6x8 Eastern Spruce beam ceiling joists. Hangers as required per plan.
- ✓ Graded 6x8 pre-cut Eastern Spruce tie beams.
- ✓ 2 x RW x RL graded T&G v-match loft flooring.
- ✓ Partition Framing: KD S-P-F 2x4 or 2x6 shoe, double plate, studs, blocking, headers and fillers as necessary.
- ✓ Partition paneling: 3/4" T&G Eastern White Pine. Northern White Cedar available as an option.

# MISCELLANEOUS MATERIALS SUPPLIED PER PLAN

- Loft stairs, open, D3S, treads and stringers are Eastern Spruce. Pre-cut treads are 3 x 11 x 36, stringers are 3x10, D3S. D4S (Dressed 4 Sides available as an option).
   \*Basement stairs are 2x12 KD S-P-F treads and stringers.
- ✓ Loft, stair, porch and deck railing: Cedar, D4S, 2x4 rail, 2x3 balusters, and 4x4 posts. Round rail is available as an option.
- ✓ Porch posts: round Northern White Cedar, D4S (Dressed 4 Sides) is available as an option.

\*\*\*Hybrid Standard Package shown on pricelist, uses Standard Grade materials, 200 Series Andersen windows, O.S.B. wall and roof sheathing, Pine eave trim, and conventional rafter or pre-manufactured truss roof system.\*\*\*

### Items to Be Furnished by Homeowner

(Assuming a Complete Materials Package)

- Foundations
- Fireplaces and all masonry materials
- Insulation for floors, basements and roofs
- Floor underlayment and coverings
- House wrap
- Kitchen cabinets and counters
- Roof vents
- Plumbing and plumbing fixtures
- Heating
- Wiring
- Appliances
- Paints and varnishes
- Miscellaneous nails and fasteners
- Transportation costs
- Construction and sales tax costs



P.O. Box 72 Houlton, ME 04730 1-800-341-1566

<u>WWW.WARDCEDARLOGHOMES.COM</u> Email: <u>info@wardcedarloghomes.com</u>



©2023 WARD CEDAR LOG HOMES